

SIDDHAKANTA AYURVED MAHAVIDYALAYA

MONTHWISE ANALYSIS OF ATTENDANCE OF NON-TEACHING STAFF OF ACADEMIC YEAR JAN 2022 - DEC 2022

| Sr. No | Name of Non-Teaching Staff | Designation | Jan | | | | Feb | | | | Mar | | | | Apr | | | | May | | | | Jun | | | | July | | | | August | | | | September | | | | October | | | | November | | | | December | | | | | | | |
|--------|---------------------------------|-------------------|-----------|-------------|-----------|------------|-----------|-------------|-----------|------------|-----------|-------------|-----------|------------|-----------|-------------|-----------|------------|-----------|-------------|-----------|------------|-----------|-------------|-----------|------------|-----------|-------------|-----------|------------|-----------|-------------|-----------|------------|-----------|-------------|-----------|------------|-----------|-------------|-----------|------------|----------|------|-----|------|----------|------|-----|------|----|------|----|------|
| | | | Month day | Present Day | CL During | Total Days | Month day | Present Day | CL During | Total Days | Month day | Present Day | CL During | Total Days | Month day | Present Day | CL During | Total Days | Month day | Present Day | CL During | Total Days | Month day | Present Day | CL During | Total Days | Month day | Present Day | CL During | Total Days | Month day | Present Day | CL During | Total Days | Month day | Present Day | CL During | Total Days | Month day | Present Day | CL During | Total Days | | | | | | | | | | | | |
| 1 | Sau, Pawar Sujata Vinayak | Librarian | 31 | 27.5 | 0 | 27.5 | 28 | 25 | 0.5 | 25.5 | 31 | 29.5 | 0 | 29.5 | 30 | 18 | 0 | 18 | 31 | 24.5 | 0.5 | 25 | 30 | 26.0 | 1.5 | 27.5 | 31 | 26.5 | 1 | 27.5 | 31 | 29.5 | 1 | 30.5 | 30 | 27.5 | 0 | 27.5 | 31 | 29.5 | 1.5 | 31 | 30 | 25 | 0.5 | 25.5 | 31 | 28.5 | 0 | 28.5 | 31 | 28.5 | 0 | 28.5 |
| 2 | Mr. Tupe Somnath C. | Asstt. Librarian | 31 | 28 | 1 | 29 | 28 | 21 | 0 | 21 | 31 | 28.5 | 1 | 29.5 | 30 | 28 | 0 | 28 | 31 | 27.5 | 0.0 | 27.5 | 30 | 25.5 | 2.0 | 27.5 | 31 | 22 | 1.5 | 23.5 | 31 | 26 | 2 | 28 | 30 | 26 | 1 | 27 | 31 | 29 | 1 | 30 | 30 | 29 | 0 | 29 | 31 | 25 | 0 | 25 | | | | |
| 3 | Mr. Ghayadak Dattaraj Chhanraj | Library Attendant | 31 | 24 | 0 | 24 | 28 | 25 | 0 | 25 | 31 | 29 | 0.5 | 29.5 | 30 | 29 | 1 | 30 | 31 | 26 | 0 | 26 | 30 | 30 | 0.5 | 30 | 31 | 23.5 | 0 | 23.5 | 31 | 31 | 0 | 31 | 30 | 27 | 1.5 | 28.5 | 31 | 28.5 | 0 | 28.5 | 30 | 24.5 | 1 | 25.5 | 31 | 29 | 1 | 29 | | | | |
| 4 | Mr. Sonawane Navnath Chiman | PA to Principal | 31 | 30 | 1 | 31 | 28 | 28 | 0 | 28 | 31 | 31 | 0 | 31 | 30 | 29.5 | 0.5 | 30 | 31 | 29 | 2 | 31 | 30 | 29.5 | 0.5 | 30 | 31 | 30 | 1 | 31 | 31 | 28.5 | 2.5 | 31 | 30 | 28 | 2 | 30 | 31 | 31 | 0 | 31 | 30 | 30 | 0 | 30 | 31 | 31 | 0 | 31 | | | | |
| 5 | Mr. Thorat Santosh Sampat | OS | 31 | 22.5 | 0.5 | 23 | 28 | 24.5 | 0.5 | 25 | 31 | 30.5 | 0.5 | 31 | 30 | 28.5 | 0.5 | 29 | 31 | 30 | 0 | 30 | 30 | 23.5 | 1.0 | 24.5 | 31 | 26.5 | 0 | 26.5 | 31 | 27.5 | 1.5 | 29 | 30 | 24 | 1 | 25 | 31 | 25.5 | 0.5 | 26 | 30 | 28 | 1 | 29 | 31 | 25.5 | 0.5 | 26 | | | | |
| 6 | Mr. Jain Akshay Rajendra | Accountant | 31 | 26.5 | 0 | 26.5 | 28 | 28 | 0 | 28 | 31 | 31 | 0.0 | 31 | 30 | 29.5 | 0.5 | 30 | 31 | 27.5 | 3.5 | 31 | 30 | 30 | 0 | 30 | 31 | 30 | 1 | 31 | 31 | 30.5 | 0 | 30.5 | 30 | 25 | 3 | 28 | 31 | 31 | 0 | 31 | 30 | 30 | 0 | 30 | 31 | 29 | 1 | 30 | | | | |
| 7 | Mr. Wakchare Nitin Ashok | Computer Operator | 31 | 27.5 | 0 | 27.5 | 28 | 28 | 0 | 28 | 31 | 31 | 0 | 31 | 30 | 30 | 0 | 30 | 31 | 31 | 0 | 31 | 30 | 30.0 | 0 | 30.0 | 31 | 31 | 0 | 31 | 31 | 30.5 | 0.5 | 31 | 30 | 28.5 | 1.5 | 30 | 31 | 30 | 1 | 31 | 30 | 28 | 2 | 30 | 31 | 28.5 | 2 | 30.5 | | | | |
| 8 | Mr. Nehe Jalindar Hanumanta | Attendant | 31 | 31 | 0 | 31 | 28 | 28 | 0 | 28 | 31 | 31 | 0 | 31 | 30 | 30 | 0 | 30 | 31 | 30 | 0 | 30 | 30 | 30 | 0 | 30 | 31 | 31 | 0 | 31 | 31 | 29 | 2 | 31 | 30 | 30 | 0 | 30 | 31 | 31 | 0 | 31 | 30 | 30 | 0 | 30 | 31 | 31 | 0 | 31 | | | | |
| 9 | Miss. Dighe Pooja Dashrath | Lab - Tech | 31 | 27.5 | 0 | 27.5 | 28 | 28 | 0 | 28 | 31 | 31 | 0 | 31 | 30 | 29.5 | 0.5 | 30 | 31 | 21 | 0.0 | 21 | 30 | 0 | 0.0 | 0.0 | 31 | 0 | 0 | 0 | 31 | 0 | 0 | 0 | 30 | 0 | 0 | 0 | 31 | 0 | 0 | 0 | 30 | 0 | 0 | 0 | 31 | 0 | 0 | 0 | | | | |
| 10 | Mr. Bhosale Subhash Dada. | Museum Keeper | 31 | 13 | 0 | 13 | 28 | 0.0 | 0.0 | 0.0 | 31 | 21 | 0 | 21 | 30 | 19 | 0 | 19 | 31 | 0 | 0 | 0 | 30 | 0 | 0 | 0 | 31 | 0 | 0 | 0 | 31 | 0 | 0 | 0 | 30 | 0 | 0 | 0 | 31 | 0 | 0 | 0 | 30 | 0 | 0 | 0 | 31 | 0 | 0 | 0 | | | | |
| 11 | Mr. Bagul Santosh P. | Lifter | 31 | 31 | 0 | 31 | 28 | 19.5 | 0 | 19.5 | 31 | 28.5 | 0 | 28.5 | 30 | 28.5 | 0 | 28.5 | 31 | 25 | 0 | 25 | 30 | 25.5 | 0 | 25.5 | 31 | 25.5 | 0 | 25.5 | 31 | 27.0 | 0 | 27 | 30 | 27.5 | 0 | 27.5 | 31 | 24.5 | 0 | 24.5 | 30 | 25.5 | 2 | 27.5 | 31 | 8.5 | 0 | 8.5 | | | | |
| 12 | Mr. Navale Bharat Nivruti | Lab-Tech | 31 | 23 | 0 | 23 | 28 | 21 | 0 | 21 | 31 | 31 | 0 | 31 | 30 | 8 | 0 | 8 | 31 | 0 | 0 | 0 | 30 | 0 | 0 | 0 | 31 | 0 | 0 | 0 | 31 | 0 | 0 | 0 | 30 | 0 | 0 | 0 | 31 | 0 | 0 | 0 | 30 | 0 | 0 | 0 | 31 | 0 | 0 | 0 | | | | |
| 13 | Mr. Thakare Chandev Prabhakar | Lab-Tech | 31 | 30 | 0 | 31 | 28 | 27 | 1 | 28 | 31 | 30 | 1 | 31 | 30 | 29.0 | 1.0 | 30 | 31 | 30.5 | 0.5 | 31 | 30 | 30 | 0 | 30 | 31 | 31 | 0 | 31 | 31 | 31 | 0 | 31 | 30 | 29 | 1 | 30 | 31 | 29.5 | 1.5 | 31 | 30 | 29 | 1 | 30 | 31 | 31 | 0 | 31 | | | | |
| 14 | Mr. Nevaskar Sunil Rajaram | Museum Keeper | 31 | 31 | 0 | 31 | 28 | 27 | 1 | 28 | 31 | 29 | 2 | 31 | 30 | 30 | 0 | 30 | 31 | 25.5 | 5.5 | 31 | 30 | 28 | 1 | 29 | 31 | 28.5 | 0.5 | 29 | 31 | 30 | 0 | 30 | 30 | 22 | 0 | 22 | 31 | 0 | 0 | 0 | 30 | 0 | 0 | 0 | 31 | 0 | 0 | 0 | | | | |
| 15 | Mr. Munde Vikas Nana | Lab-Tech | 31 | 30 | 0 | 30 | 28 | 27 | 0 | 27 | 31 | 31 | 0 | 31 | 30 | 29.5 | 0.5 | 30 | 31 | 28 | 3 | 31 | 30 | 30 | 0 | 30 | 31 | 30.5 | 0 | 30.5 | 31 | 31 | 0 | 31 | 30 | 26 | 2 | 28 | 31 | 30 | 0 | 30 | 30 | 27 | 2 | 29 | 31 | 28.5 | 0 | 28.5 | | | | |
| 16 | Mr. Nehe Balkrishna Namdeo | Lab-Asst | 31 | 24.0 | 0 | 24.0 | 28 | 24 | 0 | 24 | 31 | 25 | 1 | 26 | 30 | 25.5 | 0 | 25.5 | 31 | 25.5 | 0 | 25.5 | 30 | 18 | 1 | 19 | 31 | 27 | 0 | 27 | 31 | 28.5 | 0 | 28.5 | 30 | 24.5 | 1 | 25.5 | 31 | 26.5 | 2.5 | 29 | 30 | 16.5 | 0 | 16.5 | 31 | 17.5 | 0 | 17.5 | | | | |
| 17 | Mr. Kadlag Vikas Narayan | Lab-Tech | 31 | 23 | 0 | 23 | 28 | 21 | 0 | 21 | 31 | 25 | 0 | 25 | 30 | 28 | 0 | 28 | 31 | 22 | 0 | 22 | 30 | 23 | 0 | 23 | 31 | 27 | 0 | 27 | 31 | 30 | 0 | 30 | 30 | 26 | 0 | 26 | 31 | 27.5 | 0 | 27.5 | 30 | 23 | 0 | 23 | 31 | 23 | 0 | 23 | | | | |
| 18 | Mrs. Thorat Jyoti Santosh | Lab-Tech | 31 | 31 | 0 | 31 | 28 | 28 | 0 | 28 | 31 | 31 | 0 | 31 | 30 | 28 | 0 | 28 | 31 | 30 | 0 | 30 | 29.0 | 0 | 29.0 | 31 | 29.5 | 0 | 29.5 | 31 | 30 | 0 | 30 | 30 | 30 | 0 | 30 | 31 | 31 | 0 | 31 | 30 | 30 | 0 | 30 | 31 | 31 | 0 | 31 | | | | | |
| 19 | Mr. Warpe Vaibhav Vilas | Museum Keeper | 31 | 31 | 0 | 31 | 28 | 22 | 1 | 23 | 31 | 21 | 1 | 22 | 30 | 30 | 0 | 30 | 31 | 29 | 0.0 | 29 | 30 | 30 | 0 | 30 | 31 | 29.5 | 1.5 | 31 | 31 | 29.5 | 1.5 | 31 | 30 | 29 | 1 | 30 | 31 | 30 | 1 | 31 | 30 | 30 | 0 | 30 | 31 | 28.5 | 2 | 30.5 | | | | |
| 20 | Sau. Mhase Jyoti Prakash | Attendant | 31 | 31 | 0 | 31 | 28 | 28 | 0 | 28 | 31 | 31 | 0 | 31 | 30 | 30 | 0 | 30 | 31 | 31 | 0 | 31 | 29 | 0 | 29 | 31 | 31 | 0 | 31 | 31 | 31 | 0 | 31 | 30 | 30 | 0 | 30 | 31 | 30 | 0 | 30 | 31 | 24 | 0 | 24 | 30 | 30 | 0 | 30 | 31 | 24 | 0 | 24 | |
| 21 | Sau. Ghodekar Anita M. | Attendant | 31 | 23.5 | 1 | 24.5 | 28 | 23 | 0.5 | 23.5 | 31 | 23 | 1 | 24 | 30 | 0 | 0 | 0 | 31 | 0 | 0 | 0 | 30 | 0.0 | 0.0 | 0.0 | 31 | 0 | 0 | 0 | 31 | 0 | 0 | 0 | 30 | 0 | 0 | 0 | 31 | 0 | 0 | 0 | 30 | 0 | 0 | 0 | 31 | 0 | 0 | 0 | | | | |
| 22 | Mr. Bambale Sumit Vasant | Attendant | 31 | 27.5 | 0 | 27.5 | 28 | 20.0 | 1 | 21.0 | 31 | 18 | 0 | 18 | 30 | 0 | 0 | 0 | 31 | 0 | 0 | 0 | 30 | 0.0 | 0.0 | 0.0 | 31 | 0 | 0 | 0 | 31 | 0 | 0 | 0 | 30 | 0 | 0 | 0 | 31 | 0 | 0 | 0 | 30 | 0 | 0 | 0 | 31 | 0 | 0 | 0 | | | | |
| 23 | Mrs. Kasabe Savitra F. | Gardner | 31 | 29 | 0 | 29 | 28 | 28 | 0 | 28 | 31 | 30 | 1 | 31 | 30 | 29 | 1 | 30 | 31 | 30 | 0 | 30 | 30 | 30 | 0 | 30 | 31 | 31 | 0 | 31 | 31 | 28 | 3 | 31 | 30 | 30 | 0 | 30 | 31 | 31 | 0 | 31 | 30 | 30 | 0 | 30 | 31 | 0 | 31 | | | | | |
| 24 | Smt. Zalate Kamalbai Damodar | M.P.W | 31 | 27 | 0 | 27 | 28 | 27 | 0 | 27 | 31 | 30 | 1 | 31 | 30 | 25 | 0 | 25 | 31 | 29.5 | 0 | 29.5 | 30 | 29.0 | 0 | 29.0 | 31 | 29 | 0 | 29 | 31 | 31 | 0 | 31 | 30 | 26.5 | 0 | 26.5 | 31 | 30 | 0 | 30 | 30 | 27 | 0 | 27 | 31 | 28 | 0 | 28 | | | | |
| 25 | Miss. Bhalerao Vishakha Mangesh | M.P.W | 31 | 29 | 0 | 29 | 28 | 26 | 0 | 26 | 31 | 30 | 0 | 30 | 30 | 26 | 1 | 27 | 31 | 28.5 | 0 | 28.5 | 30 | 27 | 0 | 27 | 31 | 30 | 0 | 30 | 31 | 28 | 0 | 28 | 30 | 27 | 0 | 27 | 31 | 29 | 0 | 29 | 30 | 24 | 3 | 27 | 31 | 29 | 0 | 29 | | | | |
| 26 | Smt. Gadekar Padmavati Damodhar | Rector | 31 | 29 | 2 | 31 | 28 | 26 | 2 | 28 | 31 | 28 | 0 | 28 | 30 | 27 | 3 | 30 | 31 | 29 | 2 | 31 | 30 | 30 | 0 | 30 | 31 | 31 | 0 | 31 | 31 | 31 | 0 | 31 | 30 | 25 | 5 | 30 | 31 | 31 | 0 | 31 | 30 | 28 | 2 | 30 | 31 | 31 | 0 | 31 | | | | |
| 27 | Mr. Pande Shubham Subas | DEO | 31 | 31 | 0 | 31 | 28 | 28 | 0 | 28 | 31 | 31 | 0 | 31 | 30 | 30 | 0 | 30 | 31 | 28 | 0 | 28 | 30 | 30 | 0 | 30 | 31 | 31 | 0 | 31 | 31 | 30.5 | 0 | 30.5 | 30 | 27 | 0 | 27 | 31 | 31 | 0 | 31 | 30 | 30 | 0 | 30 | 31 | 31 | 0 | 31 | | | | |
| 28 | Mr. Satpute Yuvraj Suryabhan | Lab-Tech | 31 | 28.5 | 0.5 | 29 | 28 | 27 | 0 | 27 | 31 | 31 | 0 | 31 | 30 | 30 | 0 | 30 | 31 | 29.5 | 1.5 | 30 | 30 | 28 | 1 | 29 | 31 | 28 | 1 | 29 | 31 | 29 | 2 | 31 | 30 | 25.5 | 2 | 27.5 | 31 | 13 | 0 | 13 | 30 | 0 | 0 | 0 | 31 | 0 | 0 | 0 | | | | |
| 29 | Mr. More Sandesh Vitthalrao | Lab-Tech | 31 | 0 | 0 | 0 | 28 | 6 | 0 | 6 | 31 | 31 | 0 | 31 | 30 | 30 | 0 | 30 | 31 | 28 | 1 | 29 | 30 | 29 | 0 | 29 | 31 | 30.5 | 0.5 | 31 | 31 | 29 | 2 | 31 | 30 | 23 | 2 | 25 | 31 | 31 | 0 | 31 | 30 | 26 | 0 | 26 | 31 | 29 | 2 | 31 | | | | |
| 30 | Mrs. Jedhe Lalita Ganesh | M.P.W | 31 | 31 | 0 | 31 | 28 | 28 | 0 | 28 | 31 | 30 | 0 | 30 | 30 | 30 | 0 | 30 | 31 | 31 | 0 | 31 | 30 | 30.0 | 0.0 | 30 | 31 | 31 | 0 | 31 | 31 | 31 | 0 | 31 | 30 | 30 | 0 | 30 | 31 | 31 | 0 | 31 | 30 | 25 | 5 | 30 | 31 | 31 | 0 | 31 | | | | |
| 31 | Sau. Argade Jyoti M. | Lab Asst. | 31 | 24 | 0 | 24 | 28 | 26.5 | 0 | 26.5 | 31 | 28.5 | 1.5 | 30 | 30 | 30 | 0 | 30 | 31 | 28.5 | 2.5 | 31 | 30 | 28 | 0 | 28 | 31 | 31 | 0 | 31 | 31 | 21 | 0 | 21 | 30 | 18 | 3 | 21 | 31 | 29 | 1 | 30 | 30 | 28 | 1.5 | 29.5 | 31 | 28 | 2 | 30 | | | | |
| 32 | Mr. Gopale Sandip Keshav | Lab-Tech | 31 | 0 | 0 | 0 | 28 | 0 | 0 | 0 | 31 | 31 | 0 | 31 | 30 | 30 | 0 | 30 | 31 | 31 | 0 | 31 | 30 | 29 | 0 | 29 | 31 | 31 | 0 | 31 | 31 | 31 | 0 | 31 | 30 | 28 | 0 | 28 | 31 | 26 | 0 | 26 | | | | | | | | | | | | |